


All drawings are the property of Schleifring GmbH/ Germany and are to be treated as confidential. The reproduction, distribution and utilization as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.



Wiring diagramm see sheet 2





Die Montageanleitung 7BC000000 wird elektronisch bereitgestellt.
 The assembly instruction 7BC000000 is provided in electronic format.

ELECTRONIC & ELECTRIC		MECHANICAL	
Rating Voltage	250 V AC / DC	Working Speed	300 rpm max.
		Inner Diameter	$\phi 25,4$
		Contact Material	Precious Metals
Current	5 A / Signal	Lead Wire Length	STATOR: 250 mm ROTOR: 250 mm
Track	6	/	/
Insulation Resistance	500 M Ω @ 500 V DC	/	/
ENVIRONMENT		REMARKS	
Working Temperature	-20 °C to +60 °C	Application	see Manual
Working Humidity	≤ 60 % RH	Other	/
Protection Class	IP50	Note:	/

10	1	70C000005	Maverick Schleifring 6-Weg 5A		
Pos.	Anz.	Mat.Nr.	Kurztext	Größe/Abmessung	Werkstoff
1	2	3	4	5	6
DIN ISO 5456-2		TOLERANCES		DIN ISO 13715	
		ISO 2768 - mH		FINISH	
				SCALE 1:1 REFERENCE 2	
STANDARDS ISO 8015 ISO 14405		DWG NO 7KLC000005		MATERIAL	
				WEIGHT 0,001 kg REFERENCE 1	
		REVISION A1		FIRST RELEASE 14.12.2021	
				DESIGNER CREITER 16.11.2022	
DESCRIPTION Maverick Slip Ring 6-Track 5A		APPROVED AGREPPMAYR 21.11.2022		CHANGE NO 200120151	
				DOCUMENT TYPE Kundenzeichnung SHEET 1/2	

All drawings are the property of Schleifring GmbH/ Germany and are to be treated as confidential. The reproduction, distribution and utilization as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

Cable Table	
Current	Cable
5 A / Signal	AWG17
10 A	
15 A	AWG14



DIN ISO 5456-2 	TOLERANCES ISO 2768 - mH	DIN ISO 13715 	FINISH MATERIAL	SCALE	REFERENCE 2
				1:1	
STANDARDS ISO 8015 ISO 14405	DWG NO 7KLC000005	REVISION A1	FIRST RELEASE 14.12.2021	WEIGHT	REFERENCE 1
				0,001 kg	
	Beschreibung Maverick Schleifring 6-Weg 5A DESCRIPTION Maverick Slip Ring 6-Track 5A SIZE/DIM.	CHANGE NO 200120151	DOCUMENT TYPE Kundenzeichnung	SHEET	
				2/2	