


All drawings are the property of Schleifring GmbH/ Germany and are to be treated as confidential. The reproduction, distribution and utilization as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.



Wiring diagramm see sheet 2





Die Montageanleitung 7BC000000 wird elektronisch bereitgestellt.  
 The assembly instruction 7BC000000 is provided in electronic format.

ELECTRONIC & ELECTRIC		MECHANICAL	
Rating Voltage	250 V AC / DC or 400 V AC	Working Speed	300 rpm max.
		Inner Diameter	$\phi 25,4$
		Contact Material	Precious Metals
Current	15 A	Lead Wire Length	STATOR: 250 mm ROTOR: 250 mm
Track	6	/	/
Insulation Resistance	500 M $\Omega$ @ 500 V DC	/	/
ENVIRONMENT		REMARKS	
Working Temperature	-20 °C to +60 °C	Application	see Manual
Working Humidity	$\leq 60$ % RH	Other	/
Protection Class	IP50	Note:	/

10	1	70C000009	Maverick Schleifring 6-Weg 15A		
Pos.	Anz.	Mat.Nr.	Kurztext	Größe/Abmessung	Werkstoff
1	2	3	4	5	6
DIN ISO 5456-2		TOLERANCES		DIN ISO 13715	
		ISO 2768 - mH		+0,3    -0,1   +0,1      -0,3	
				FINISH	
STANDARDS				DWG NO	REVISION
ISO 8015 ISO 14405				7KC000009	A1
					FIRST RELEASE
				DESIGNER	CREITER
				APPROVED	AGREPPMAYR
				DESCRIPTION	Maverick Slip Ring 6-Track 15A
				SIZE/DIM.	
				CHANGE NO	200120151
				DOCUMENT TYPE	Kundenzeichnung
					SHEET 1/2

All drawings are the property of Schleifring GmbH/ Germany and are to be treated as confidential. The reproduction, distribution and utilization as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

Cable Table	
Current	Cable
5 A / Signal	AWG17
10 A	
15 A	AWG14



DIN ISO 5456-2 	TOLERANCES ISO 2768 - mH	DIN ISO 13715 	FINISH	SCALE 1:1	REFERENCE 2
		$+0,3$ $+0,1$	$-0,1$ $-0,3$	MATERIAL	WEIGHT 0,001 kg
STANDARDS ISO 8015 ISO 14405		DWG NO <b>7KLC000009</b>		REVISION <b>A1</b>	FIRST RELEASE 15.12.2021
		Beschreibung <b>Maverick Schleifring 6-Weg 15A</b>		CHANGE NO 200120151	
		DESCRIPTION <b>Maverick Slip Ring 6-Track 15A</b>		DOCUMENT TYPE Kundenzeichnung	
		SIZE/DIM.		SHEET 2/2	