


All drawings are the property of Schleifring GmbH/ Germany and are to be treated as confidential. The reproduction, distribution and utilization as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.



Wiring diagramm see sheet 2





Die Montageanleitung 7BC000000 wird elektronisch bereitgestellt.  
 The assembly instruction 7BC000000 is provided in electronic format.

ELECTRONIC & ELECTRIC		MECHANICAL	
Rating Voltage	250 V AC / DC or 400 V AC	Working Speed	300 rpm max.
		Inner Diameter	$\phi 25,4$
		Contact Material	Precious Metals
Current	10 A	Lead Wire Length	STATOR: 250 mm ROTOR: 250 mm
Track	6	/	/
Insulation Resistance	500 M $\Omega$ @ 500 V DC	/	/
ENVIRONMENT		REMARKS	
Working Temperature	-20 °C to +60 °C	Application	see Manual
Working Humidity	$\leq 60$ % RH	Other	/
Protection Class	IP50	Note:	/

10	1	70C000044	Maverick Schleifring 6-Weg 10A		
Pos.	Anz.	Mat.Nr.	Kurztext	Größe/Abmessung	Werkstoff
1	2	3	4	5	6
DIN ISO 5456-2		TOLERANCES		DIN ISO 13715	
		ISO 2768 - mH		$\begin{matrix} +0,3 & -0,1 \\   &   \\ +0,1 & -0,3 \end{matrix}$	
				FINISH	
STANDARDS				DWG NO	REVISION
ISO 8015 ISO 14405				7KC000044	A1
					FIRST RELEASE
				DESIGNER	CREITER
				APPROVED	AGREPPMAYR
				CHANGE NO	200120151
				DESCRIPTION	
				Maverick Slip Ring 6-Track 10A	
				DOCUMENT TYPE	SHEET
				Kundenzeichnung	1/2

All drawings are the property of Schleifring GmbH/ Germany and are to be treated as confidential. The reproduction, distribution and utilization as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

Cable Table	
Current	Cable
5 A / Signal	AWG17
10 A	
15 A	AWG14



DIN ISO 5456-2 	TOLERANCES ISO 2768 - mH	DIN ISO 13715 	FINISH	SCALE	REFERENCE 2	
			MATERIAL	1:1		
STANDARDS ISO 8015 ISO 14405	DWG NO <b>7K000044</b>	REVISION <b>A1</b>	FIRST RELEASE	14.12.2021		
			DESIGNER	CREITER	18.11.2022	
	Beschreibung <b>Maverick Schleifring 6-Weg 10A</b> DESCRIPTION <b>Maverick Slip Ring 6-Track 10A</b> SIZE/DIM.	CHANGE NO <b>200120151</b>	WEIGHT	0,001 kg		
			APPROVED	AGREPPMAYR	21.11.2022	
			DOCUMENT TYPE	Kundenzeichnung		SHEET